In Re 10/606,493 Response to Restriction Requirement Page 2

This Listing of Claims shall replace all previous listings of claims.

Listing of Claims

| 1 2 3 4 5 6 7 | (Currently Amended) A combination driving and pick-up tool comprising: a handle with a first end and a second end; a driving implement extending from said first end; a telescopic member embedded in said handle; and means attached to the handle to facilitate deployment of said telescopic member from said second end wherein said member deployment means comprises a cap magnetically attached to said telescopic member and in slidable communication with a periphery of said second end of said handle |
|---------------------------------|---|
| 1 2 | 2. (Original) The combination tool as recited in claim 1 wherein said driving implement is manually-driven. |
| 1 2 | 3.(Original) The combination tool as recited in claim 1 wherein said driving implement is power-driven. |
| i 2 | 4.(Original) The combination tool as recited in claim 1 wherein said driving implement is designed to be used in conjunction with a plurality of tool bits. |
| 1 2 | 5.(Original) The combination tool as recited in claim 1 wherein said handle comprises tool bit storing cavities. |
| 1 2 | 6.(Original) The combination tool as recited in claim 5 wherein said cavities are electrically insulated from the handle. |
| 1 2 | 7.(Original) The combination tool as recited in claim 1 wherein said member comprises a plurality of concentrically aligned tubes with a common longitudinal axis. |
| 1 | 8.(Original) The combination tool as recited in claim 7 wherein said concentrically arranged tubes have a non-circular cross-section. |
| 1 2 | 9.(Original) The combination tool as recited in claim 7 wherein said tubes are electrically insulative. |
| 1 2 | 10.(Original) The combination tool as recited in claim 1 wherein said telescopic member terminates with a magnet. |

In Re 10/606,493 Response to Restriction Requirement Page 3

1 2

1

2

1

2

1

2

3

1

2

3

i

2

1

2

3

1

2

1

2

1

2

3

1

2

4

- 11.(Original) The combination tool as recited in claim 1 wherein said telescopic member comprises means to receive detachable bits.
- 12.(Original) The combination tool as recited in claim 1 wherein said telescopic member comprises a pick-up implement.
- 13.(Original) The combination tool as recited in claim 1 wherein said deployment means utilizes magnetic attraction.
- 14.(Original) The combination tool as recited in claim 1 wherein said telescopic member terminates in a magnet and said deployment means comprises a ferrous substrate in rotatable communication with the second end.
- 15 (Original) The combination tool as recited in claim 14 wherein said ferrous substrate is attached to said deployment means and in slidable communication with a periphery of said handle.

16 (Canceled)

- 17.(Currently Amended) The combination tool as recited in claim 16 1 wherein said cap is attached to said handle by means of a removable chain.
- 18.(Currently Amended) The combination tool as recited in claim 16 1 wherein said cap is attached to said handle by means of a hinge designed to be in slidable communication with said periphery of said handle.

Claims 19-20 (Canceled)

- 21.(Original) The combination tool as recited in claim 1 wherein said member comprises a nut setter.
- 22.(Original) The combination tool as recited in claim 21 wherein said nut setter is attached to said telescopic member.
- 23.(Original) The combination tool as recited in claim 1 wherein said member deployment means comprises a magnetizable cap that may be slidably rotated while remaining in magnetic contact with said pick-up implement.
- 24.(Currently Amended) A combination driving and pick-up tool comprising : a handle with a first end and a second end, said handle comprising tool bit storing cavities;
 - a driving implement extending from said first end adapted to be used in

In Re 10/606,493 Response to Restriction Requirement Page 4

| l conjunction | with a | plurality | of tool | bits |
|---------------|--------|-----------|---------|------|
|---------------|--------|-----------|---------|------|

2

3

4

6

7

1

2

1

2

1

2

1

2

1

2

3

a telescopic pick-up implement deployable from said second end and comprising a plurality of electrically insulative concentrically aligned tubes with a common longitudinal axis; and

means attached to the handle to facilitate deployment of said implement from said second end wherein said pick-up implement deployment means comprises a magnetizable cap attached to said implement.

- 25.(Original) The combination tool as recited in claim 24 wherein said telescopic pick-up implement terminates with a magnet.
- 26.(Original) The combination tool as recited in claim 24 wherein said telescopic pick-up implement is terminated with a removably attached nut setter.
- 27. (Original) The combination tool as recited in claim 24 wherein said concentrically arranged tubes have a non-circular cross-section.
- 28. (Original) The combination tool as recited in claim 24 wherein said handle, driving implement, and pick-up implement are aligned along an identical longitudinal axis.
- 29.(Currently Amended) The combination tool as recited in claim 24 wherein said pick-up implement deployment means comprises a magnetizable cap that is attached to said handle.

Claims 30-31 (Canceled)